

Varton LED Luminaires Technical Characteristics

Product code	Power,W	Size, mm	CCT,K	Lumen Flux, Lm	Weight, kg	Installation size, mm	IP	Installation method	Class of safety protection against electric shock
VA0027W036	36	600x600x58	3000	4000	5,4	-	40	recessed	I
VA0027D036	36	600x600x58	4000	4200	5,4	-	40	recessed	I
VA0028D036	36	600x600x58	4000	4200	5,4	-	40	recessed	I
VA0027C036	36	600x600x58	6500	4400	5,4	-	40	recessed	I
VA0028C036	36	600x600x58	6500	4400	5,4	-	40	recessed	I
VA0029W036	36	600x600x62	3000	3000	5,4	-	54	recessed	I
VA0029D036	36	600x600x62	4000	3150	5,4	-	54	recessed	I
VA0030D036	36	600x600x62	4000	3150	5,4	-	54	recessed	I
VA0029C036	36	600x600x62	6500	3300	5,4	-	54	recessed	I
VA0030C036	36	600x600x62	6500	3300	5,4	-	54	recessed	I
VA0014W036	36	593x593x60	3000	4000	3,5	-	20	recessed	I
VA0014D036	36	593x593x60	4000	4200	3,5	-	20	recessed	I
VA0015D036	36	593x593x60	4000	4200	3,5	-	20	recessed	I
VA0014C036	36	593x593x60	6500	4400	3,5	-	20	recessed	I
VA0015C036	36	593x593x60	6500	4400	3,5	-	20	recessed	I
VA0016W036	36	593x593x60	3000	4000	3,5	-	20	recessed	I
VA0075D036	36	593x593x60	4000	4200	3,5	-	20	recessed	I
VA0016D036	36	593x593x60	4000	4200	3,5	-	20	recessed	I
VA0016C036	36	593x593x60	6500	4400	3,5	-	20	recessed	I
VA0017C036	36	593x593x60	6500	4400	3,5	-	20	recessed	I
VA0085W036	36	595x595x59	3000	4000	3,5	-	20	recessed	I
VA0085D036	36	595x595x59	4000	4200	3,5	-	20	recessed	I
VA0086D036	36	595x595x59	4000	4200	3,5	-	20	recessed	I
VA0085C036	36	595x595x59	6500	4400	3,5	-	20	recessed	I
VA0086C036	36	595x595x59	6500	4400	3,5	-	20	recessed	I
VA0023W036	36	595x595x57	3000	4000	3,5	-	20	recessed	I

VA0023D036	36	595x595x57	4000	4200	3,5	-	20	recessed	
VA0024D036	36	595x595x57	4000	4200	3,5	-	20	recessed	
VA0025D036	36	595x595x57	4000	4200	3,5	-	20	recessed	
VA0023C036	36	595x595x57	6500	4400	3,5	-	20	recessed	
VA0024C036	36	595x595x57	6500	4400	3,5	-	20	recessed	
VA0031W036	36	600x600x58	3000	4000	5,4	-	40	recessed	
VA0031D036	36	600x600x58	4000	4200	5,4	-	40	recessed	
VA0032D036	36	600x600x58	4000	4200	5,4	-	40	recessed	
VA0031C036	36	600x600x58	6500	4400	5,4	-	40	recessed	
VA0032C036	36	600x600x58	6500	4400	5,4	-	40	recessed	
VA0033W036	36	600x600x62	3000	4000	5,4	-	54	recessed	
VA0033D036	36	600x600x62	4000	4200	5,4	-	54	recessed	
VA0034D036	36	600x600x62	4000	4200	5,4	-	54	recessed	
VA0033C036	36	600x600x62	6500	4400	5,4	-	54	recessed	
VA0034C036	36	600x600x62	6500	4400	5,4	-	54	recessed	
VA0065W036	36	595x588x50	3000	4000	3,5	-	20	recessed	
VA0065D036	36	595x588x50	4000	4200	3,5	-	20	recessed	
VA0067D036	36	595x588x50	4000	4200	3,5	-	20	recessed	
VA0065C036	36	595x588x50	6500	4400	3,5	-	20	recessed	
VA0067C036	36	595x588x50	6500	4400	3,5	-	20	recessed	
VA0076D036	36	595x595x50	3950	4200	3,5	-	20	recessed	
VA0077D036	36	595x595x50	3950	4200	3,5	-	20	recessed	
VA0170D018	18	595x180x50	3950	1900	1,7	-	20	recessed	
VA0220D018	18	1195x100x50	3950	1800	2	-	20	recessed	
VA0271D036	36	1195x180x50	3950	4100	2,5	-	20	recessed	
VA0272D036	36	1195x180x50	3950	4100	2,5	-	20	recessed	
VA0080W027	27	595x595x55	3000	2300	5,3	-	54	recessed	
VA0080D027	27	595x595x55	4000	2400	5,3	-	54	recessed	
VA0081D027	27	595x595x55	4000	2400	5,3	-	54	recessed	
VA0080C027	27	595x595x55	6500	2500	5,3	-	54	recessed	
VA0081C027	27	595x595x55	6500	2500	5,3	-	54	recessed	

VA0080W036	36	595x595x55	3000	3000	5,4	-	54	recessed	
VA0080D036	36	595x595x55	4000	3150	5,4	-	54	recessed	
VA0081D036	36	595x595x55	4000	3150	5,4	-	54	recessed	
VA0082D036	36	595x595x55	4000	3150	5,4	-	54	recessed	
VA0080C036	36	595x595x55	6500	3300	5,4	-	54	recessed	
VA0081C036	36	595x595x55	6500	3300	5,4	-	54	recessed	
VA0083W027	27	595x595x55	3000	2300	5,3	500x500	54	surface	
VA0083D027	27	595x595x55	4000	2400	5,3	500x500	54	surface	
VA0084D027	27	595x595x55	4000	2400	5,3	500x500	54	surface	
VA0083C027	27	595x595x55	6500	2500	5,3	500x500	54	surface	
VA0084C027	27	595x595x55	6500	2500	5,3	500x500	54	surface	
VA0083W036	36	595x595x55	3000	3000	5,4	500x500	54	surface	
VA0083D036	36	595x595x55	4000	3150	5,4	500x500	54	surface	
VA0084D036	36	595x595x55	4000	3150	5,4	500x500	54	surface	
VA0083C036	36	595x595x55	6500	3300	5,4	500x500	54	surface	
VA0084C036	36	595x595x55	6500	3300	5,4	500x500	54	surface	
VA0087D036	36	595x595x55	4000	3150	7	500x500	54	surface	
VA0088D036	36	595x595x55	4000	3150	7	500x500	54	surface	
VA0087C036	36	595x595x55	6500	3300	7	500x500	54	surface	
VA0088C036	36	595x595x55	6500	3300	7	500x500	54	surface	
VA0089D036	36	595x595x55	4000	3150	7	-	54	recessed	
VA0090D036	36	595x595x55	4000	3150	7	-	54	recessed	
VA0089C036	36	595x595x55	6500	3300	7	-	54	recessed	
VA0090C036	36	595x595x55	6500	3300	7	-	54	recessed	
VA0180W018	18	595x180x55	3000	1300	2,7	-	54	recessed	
VA0180D018	18	595x180x55	4000	1400	2,7	-	54	recessed	
VA0181D018	18	595x180x55	4000	1400	2,7	-	54	recessed	
VA0180C018	18	595x180x55	6500	1500	2,7	-	54	recessed	
VA0181C018	18	595x180x55	6500	1500	2,7	-	54	recessed	
VA0182W018	18	595x180x55	3000	1300	2,7	540x140	54	surface	
VA0182D018	18	595x180x55	4000	1400	2,7	540x140	54	surface	

VA0183D018	18	595x180x55	4000	1400	2,7	540x140	54	surface	
VA0182C018	18	595x180x55	6500	1500	2,7	540x140	54	surface	
VA0183C018	18	595x180x55	6500	1500	2,7	540x140	54	surface	
VA0184C018	18	595x180x55	6500	1500	3,5	-	54	recessed	
VA0280W036	36	1195x180x55	3000	2600	5,4	-	54	recessed	
VA0280D036	36	1195x180x55	4000	2750	5,4	-	54	recessed	
VA0281D036	36	1195x180x55	4000	2750	5,4	-	54	recessed	
VA0280C036	36	1195x180x55	6500	2900	5,4	-	54	recessed	
VA0281C036	36	1195x180x55	6500	2900	5,4	-	54	recessed	
VA0282W036	36	1195x180x55	3000	2600	5,4	1140x140	54	surface	
VA0282D036	36	1195x180x55	4000	2750	5,4	1140x140	54	surface	
VA0283D036	36	1195x180x55	4000	2750	5,4	1140x140	54	surface	
VA0282C036	36	1195x180x55	6500	2900	5,4	1140x140	54	surface	
VA0283C036	36	1195x180x55	6500	2900	5,4	1140x140	54	surface	
VA0070W027	27	595x595x50	3000	3000	3,2	-	20	recessed	
VA0071W027	27	595x595x50	3000	3000	3,2	-	20	recessed	
VA0072W027	27	595x595x50	3000	3000	3,2	-	20	recessed	
VA0070D027	27	595x595x50	4000	3150	3,2	-	20	recessed	
VA0071D027	27	595x595x50	4000	3150	3,2	-	20	recessed	
VA0072D027	27	595x595x50	4000	3150	3,2	-	20	recessed	
VA0073D027	27	595x595x50	4000	3150	3,2	-	20	recessed	
VA0070C027	27	595x595x50	6500	3300	3,2	-	20	recessed	
VA0071C027	27	595x595x50	6500	3300	3,2	-	20	recessed	
VA0072C027	27	595x595x50	6500	3300	3,2	-	20	recessed	
VA0073C027	27	595x595x50	6500	3300	3,2	-	20	recessed	
VA0070W036	36	595x595x50	3000	4000	3,3	-	20	recessed	
VA0071W036	36	595x595x50	3000	4000	3,3	-	20	recessed	
VA0072W036	36	595x595x50	3000	4000	3,3	-	20	recessed	
VA0073W036	36	595x595x50	3000	4000	3,3	-	20	recessed	
VA0070D036	36	595x595x50	4000	4200	3,3	-	20	recessed	
VA0078D036	36	595x595x50	4000	4200	3,3	-	20	recessed	

VA0079D036	36	595x595x50	4000	4200	3,3	-	20	recessed	
VA0091D036	36	595x595x50	4000	4200	3,3	-	20	recessed	
VA0071D036	36	595x595x50	4000	4200	3,3	-	20	recessed	
VA0072C036	36	595x595x50	6500	4400	3,3	-	20	recessed	
VA0070C036	36	595x595x50	6500	4400	3,3	-	20	recessed	
VA0071C036	36	595x595x50	6500	4400	3,3	-	20	recessed	
VA0073C036	36	595x595x50	6500	4400	3,3	-	20	recessed	
VA0074C036	36	595x595x50	6500	4400	3,3	-	20	recessed	
VA0073D036	36	595x595x100	4000	2200	4	-	20	recessed	
VA0092D036	36	595x595x100	4000	2200	4	-	20	recessed	
VA0076C036	36	595x595x100	6500	2400	4	-	20	recessed	
VA0077C036	36	595x595x100	6500	2400	4	-	20	recessed	
VA0074W027	27	595x595x50	3000	3000	3,2	500x500	20	surface	
VA0075W027	27	595x595x50	3000	3000	3,2	500x500	20	surface	
VA0074D027	27	595x595x50	4000	3150	3,2	500x500	20	surface	
VA0075D027	27	595x595x50	4000	3150	3,2	500x500	20	surface	
VA0074C027	27	595x595x50	6500	3300	3,2	500x500	20	surface	
VA0075C027	27	595x595x50	6500	3300	3,2	500x500	20	surface	
VA0075W036	36	595x595x50	3000	4000	3,3	500x500	20	surface	
VA0074D036	36	595x595x50	4000	4200	3,3	500x500	20	surface	
VA0093D036	36	595x595x50	4000	4200	3,3	500x500	20	surface	
VA0075C036	36	595x595x50	6500	4400	3,3	500x500	20	surface	
VA0078C036	36	595x595x50	6500	4400	3,3	500x500	20	surface	
VA0170W018	18	595x180x50	3000	1800	1,7	-	20	recessed	
VA0171W018	18	595x180x50	3000	1800	1,7	-	20	recessed	
VA0171D018	18	595x180x50	4000	1900	1,7	-	20	recessed	
VA0172D018	18	595x180x50	4000	1900	1,7	-	20	recessed	
VA0170C018	18	595x180x50	6500	2000	1,7	-	20	recessed	
VA0171C018	18	595x180x50	6500	2000	1,7	-	20	recessed	
VA0220W018	18	1195x100x50	3000	1700	2	-	20	recessed	
VA0221D018	18	1195x100x50	4000	1800	2	-	20	recessed	

VA0222D018	18	1195x100x50	4000	1800	2	-	20	recessed	
VA0220C018	18	1195x100x50	6500	1900	2	-	20	recessed	
VA0221C018	18	1195x100x50	6500	1900	2	-	20	recessed	
VA0221W036	36	1195x100x50	3000	3800	2	-	20	recessed	
VA0221D036	36	1195x100x50	4000	3900	2	-	20	recessed	
VA0222D036	36	1195x100x50	4000	3900	2	-	20	recessed	
VA0220C036	36	1195x100x50	6500	4000	2	-	20	recessed	
VA0221C036	36	1195x100x50	6500	4000	2	-	20	recessed	
VA0270W036	36	1195x180x50	3000	3900	2,5	-	20	recessed	
VA0271W036	36	1195x180x50	3000	3900	2,5	-	20	recessed	
VA0272W036	36	1195x180x50	3000	3900	2,5	-	20	recessed	
VA0270D036	36	1195x180x50	4000	4100	2,5	-	20	recessed	
VA0273D036	36	1195x180x50	4000	4100	2,5	-	20	recessed	
VA0274D036	36	1195x180x50	4000	4100	2,5	-	20	recessed	
VA0275D036	36	1195x180x50	4000	4100	2,5	-	20	recessed	
VA0276D036	36	1195x180x50	4000	4100	2,5	-	20	recessed	
VA0270C036	36	1195x180x50	6500	4300	2,5	-	20	recessed	
VA0271C036	36	1195x180x50	6500	4300	2,5	-	20	recessed	
VA0272C036	36	1195x180x50	6500	4300	2,5	-	20	recessed	
VA0273C036	36	1195x180x50	6500	4300	2,5	-	20	recessed	
VA0274C036	36	1195x180x50	6500	4300	2,5	-	20	recessed	
VA0350W036	36	1195x295x50	3000	4000	2,8	-	20	recessed	
VA0350D036	36	1195x295x50	4000	4200	2,8	-	20	recessed	
VA0351D036	36	1195x295x50	4000	4200	2,8	-	20	recessed	
VA0350C036	36	1195x295x50	6500	4400	2,8	-	20	recessed	
VA0351C036	36	1195x295x50	6500	4400	2,8	-	20	recessed	
VA0370W018	18	595x295x50	3000	1800	1,4	-	20	recessed	
VA0370D018	18	595x295x50	4000	1900	1,4	-	20	recessed	
VA0371D018	18	595x295x50	4000	1900	1,4	-	20	recessed	
VA0370C018	18	595x295x50	6500	2000	1,4	-	20	recessed	
VA0371C018	18	595x295x50	6500	2000	1,4	-	20	recessed	

VA0370D027	27	595x295x50	4000	3150	1,4	-	20	recessed	
VA0371D027	27	595x295x50	4000	3150	1,4	-	20	recessed	
VA0370C027	27	595x295x50	6500	3300	1,4	-	20	recessed	
VA0371C027	27	595x295x50	6500	3300	1,4	-	20	recessed	
VA0100D036	36	1325x308x70	4000	2750	5	-	54	recessed	
VA0101D036	36	1325x308x70	4000	2750	5	-	54	recessed	
VA0100C036	36	1325x308x70	6500	2900	5	-	54	recessed	
VA0101C036	36	1325x308x70	6500	2900	5	-	54	recessed	
VA0009W027	27	570x570x65	3000	3000	3,9	-	20	recessed	
VA0009D027	27	570x570x65	4000	3150	3,9	-	20	recessed	
VA0010D027	27	570x570x65	4000	3150	3,9	-	20	recessed	
VA0009C027	27	570x570x65	6500	3300	3,9	-	20	recessed	
VA0010C027	27	570x570x65	6500	3300	3,9	-	20	recessed	
VA0009W036	36	570x570x65	3000	4000	3,9	-	20	recessed	
VA0009D036	36	570x570x65	4000	4200	3,9	-	20	recessed	
VA0010D036	36	570x570x65	4000	4200	3,9	-	20	recessed	
VA0009C036	36	570x570x65	6500	4400	3,9	-	20	recessed	
VA0010C036	36	570x570x65	6500	4400	3,9	-	20	recessed	
VA0013D018	18	590x175x65	4000	1900	1,7	-	20	recessed	
VA0013C018	18	590x175x65	6500	2000	1,7	-	20	recessed	
VA0032W036	36	1175x175x65	3000	3600	2,5	-	20	recessed	
VA0035D036	36	1175x175x65	4000	3900	2,5	-	20	recessed	
VA0036D036	36	1175x175x65	4000	3900	2,5	-	20	recessed	
VA0035C036	36	1175x175x65	6500	4200	2,5	-	20	recessed	
VA0036C036	36	1175x175x65	6500	4200	2,5	-	20	recessed	